



Manfrotto

SUPPORTS FOR BIRDWATCHING
& SPORT OPTICS

2005/06



MANFROTTO, THE WORLD'S LEADER IN SUPPORT FOR BIRDING AND SPORT OPTICS

The world of nature photography and scoping demands rugged equipment that is quick and easy to operate, allowing you to concentrate on nature's beauty. Manfrotto proudly presents the VIEW family: a new range birding and sport optics kits designed to withstand the most extreme environments and to provide you years of trouble-free support. Our VIEW kits have small but important features, such as stainless steel fixings that will never corrode, leg-warmer pads to protect your hands in cold weather, quick-action leg locks to set up the tripod in seconds, and silky-smooth fluid heads to easily track your subject. With over 30 years experience and from listening to our users from every corner of the world, Manfrotto is the world leader in sport optics support and with these latest generation of VIEW kits, we present to you our finest range.

HOW TO CHOOSE THE RIGHT MANFROTTO VIEW KIT

Choosing the right equipment for birdwatching and nature photography can be daunting, so we've designed the following 8 kits to take the guess-work out, guaranteeing you the same superior performance you expect from your high-quality scope, binoculars or camera providing you a strong yet lightweight support.


There are three easy steps to choose the right support

- First, it's important first to know the weight of your scope or camera. We have two categories of maximum load: 2.5kg or 4kg.
- Second, you need to determine the maximum height you want the tripod to reach. We have two average heights (this varies depending on the head attached to the tripod): 150cm or 180cm
- Third, you can choose the overall weight of the VIEW kit. We offer you kits with tripods constructed in aluminum or ultra lightweight carbon fiber, which amounts to a 30% reduction in weight.


1 EQUIPMENT MAXLOAD FROM 0.5 TO 2.5kg

KIT WITH HEAD 700RC2


For lightweight equipment we recommend the equally light 700RC2 fluid head. It's small and extremely compact yet provides beautifully smooth movements. A quick release plate allows for easy swapping of equipment and quick disassembly.




2 WORKING HEIGHT




3 WEIGHT




CARBON FIBER LIGHTWEIGHT



ALLUMINIUM



CARBON FIBER LIGHTWEIGHT



ALLUMINIUM

CONTENTS

Introduction	2-3
View Kit	4-5-6-7
Kit accessories	8
Monopods	10-11
Alternative supports	13
Straps and bags	14

KEY TO SYMBOLS



Closed Length



Minimum Height



Maximum Height



Maximum Height with extended centre column



Monopod Minimum Height



Monopod Maximum Height



Plate Supplied with the Head



Weight



● Maximum Load Capacity
● All stated maximum load capacity are measured centred on the tripod/head mounting point.

1 EQUIPMENT MAXLOAD FROM 1.5 TO 4kg


KIT WITH HEAD 701RC2

Designed for heavier loads, the 701RC2 is the perfect complement to a spotting scope, camera or even a camcorder. To better accommodate the extra weight the head has a built-in counterbalance spring and a sliding quick release plate so you can perfectly balance your equipment.




2 WORKING HEIGHT


200cm




3 WEIGHT




CARBON FIBER LIGHTWEIGHT



ALLUMINIUM



CARBON FIBER LIGHTWEIGHT



ALLUMINIUM

Maxload 2.5kg
 Maximum working height: from 149.6 to 154.6cm



VIEW CARBON FIBER KIT 700RC2,190MFV

-  62.6cm
-  48.6cm
-  121.1cm
-  149.6cm
-  2.12kg
-  2.5kg

Compact and lightweight, this is the lightest VIEW kit we offer. This is designed for smaller spotting scopes and cameras and is perfect for long hikes and camping. The kit is comprised of the 700RC2 fluid head and the 190MFV carbon fiber tripod.



VIEW ALU KIT 700RC2,190V

-  62.6cm
-  50.1cm
-  125.6cm
-  154.6cm
-  2.42kg
-  2.5kg

Similar in height to the 190MFV this aluminium equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is comprised of the 700RC2 fluid head and the 190V aluminum tripod.

HEAD FEATURES

The head has a fixed length pan bar with soft handle and separate locking mechanisms for the 360° pan and the +90°/-75° tilt. Smooth and constant movements on both axes are assured by a fixed system of fluid cartridges. Equipped with quick release 200PL-14 video plate system with VHS PIN and a secondary safety catch.



1 Tilt Locking Knob - 2 Pan Locking Knob - 3 Plate Safety Release Knob
 4 Quick Release Plate

TECHNICAL SPECIFICATION

Tilt	+90° -75°
Tilt Drag	1 fixed
Independent Tilt Lock	Yes
Pan	360°
Pan Drag	1 fixed
Independent Pan Lock	Yes
Pan Handle	1
Quick Release Plate	Supplied with: 1/4" camera screws
Temperature Range	-10° C +60° C

Maxload 2.5kg
Maximum working height: from 178.6 to 181.6cm



VIEW CARBON FIBER KIT 700RC2,055MFV

VIEW ALU KIT 700RC2,055V



This is the ideal kit coupling overall light weight with maximum reach. This kit is designed for portability due to its carbon fiber construction and it has the extra reach to get your camera or scope up high. The kit is comprised of the 700RC2 fluid head and the 055MFV carbon fiber tripod.

Similar in height to the 055MFV kit this aluminium equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is designed for extreme outdoor use and is comprised of the 700RC2 fluid head and the 055V aluminum tripod.

TRIPOD FEATURES

The carbon fiber and aluminium VIEW tripods share the common features of having four different leg angle options to achieve lower heights; foam rubber padding to protect your hands against the heat and cold; and quick action leg locks to quickly and quietly set the tripod into position. In addition the carbon fiber and aluminium tripods feature non-glare finishing: the carbon fiber has a natural dark grey finishing, whereas the aluminium is painted with a dark green color.



Four different leg angles (25°, 43°, 73°, 90°).



Two foam rubber leg grips for cold weather use.



Quick action leg lever lock.







Maxload 4kg
 Maximum working height: from 150.1 to 155.1cm



VIEW CARBON FIBER KIT 701RC2,190MFV

VIEW ALU KIT 701RC2,190V

-  63.1cm
-  49.1cm
-  121.6cm
-  150.1cm
-  2.4kg
-  3.2kg

-  63.1cm
-  50.6cm
-  126.1cm
-  155.1cm
-  2.7kg
-  4kg

This kit offers unbeatable low carbon fiber weight but is topped with the heavy-duty 701RC2 fluid head to support your heavier equipment. The kit is comprised of the 701RC2 fluid head and the 190MFV carbon fiber tripod.

Similar in height to the 190MFV this aluminium equivalent provides the same outstanding performance at a slightly higher overall weight, coupled with the larger 701RC2 fluid head. The kit is comprised of the 701RC2 fluid head and the 190V aluminum tripod.

HEAD FEATURES

The head is one of the most compact and lightweight two way heads found on the market and was designed principally to support the heavier spotting scopes, cameras and digital video equipment. Equipped with a fixed 1.5 kg counterbalance spring which combined with a camera plate attachment made of a touch and go/sliding plate which can shift from +15mm to -15mm from the 0 point to optimize the position of the counterbalance spring and deliver a wide range of balancing positions. Fluid drag on the head is fixed. The head has a fixed length pan bar with a soft handle and separate locking mechanisms to the head to adjust it as you like, the sliding quick-release video plate system is based on the 200PL-14 equipped with the standard anti-rotation VHS pin.



1 Tilt Locking Knob - 2 Pan Locking Knob - 3 Spirit Level
 4 Plate Release Lever - 5 Quick Release Plate - 6 Sliding Top - 7 Graduated Scale for Sliding Top - 8 Sliding Top Knob

TECHNICAL SPECIFICATION

Tilt	+75° -70°
Tilt Drag	1 Fixed
Independent Tilt Lock	Yes
Pan	360°
Pan Drag	1 Fixed
Independent Pan Lock	Yes
Counterbalance	Yes
Levelling Bubble	Yes
Pan Handle	1
Quick Release Plate	Supplied with: 1/4" camera screws
Temperature Range	-20° C +60° C

Maxload 4kg
Maximum working height: from 179.1 to 182.1cm



VIEW CARBON FIBER KIT 701RC2,055MFV

VIEW ALU KIT 701RC2,055V



71.1cm 54.1cm 141.6cm 179.1cm 2.8kg 4kg

This kit offers the best of both worlds: tall and lightweight carbon fiber legs with the feature-packed, heavy-duty 701RC2 fluid head. The kit is comprised of the 701RC2 fluid head and the 055MFV carbon fiber tripod.



71.1cm 54.1cm 146.1cm 182.1cm 3.1kg 4kg

Similar in height to the 055MFV kit this aluminium equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is designed for extreme outdoor use and is comprised of the 701RC2 fluid head and the 055V aluminum tripod.

TRIPOD FEATURES


The carbon fiber and aluminium VIEW tripods share the common features of having four different leg angle options to achieve lower heights; foam rubber padding to protect your hands against the heat and cold; and quick action leg locks to quickly and quietly set the tripod into position. In addition the carbon fiber and aluminium tripods feature non-glare finishing: the carbon fiber has a natural dark grey finishing, whereas the aluminium is painted with a dark green color.



Four different leg angles (25°, 43°, 73°, 90°).



Two foam rubber leg grips for cold weather use.



Quick action leg lever lock.



Kit accessories



SHORT COLUMN 055CCSB SHORT COLUMN 190CCSB

To improve the positioning flexibility of our tripods, a shorter center column is now available as an accessory which can be ordered separately. If you need to work with legs set at the third angle of inclination (about 60°) but still require the possibility to move the camera up and down to achieve perfect adjustment for the shot, this shorter column replaces the one supplied with the tripod. The lengths are 17.5 cm for the 055CCSB and 16.5 cm for the 190CCSB.

190CCSB for the following kit: 700RC2,190MFV - 700RC2,190V
701RC2,190MFV - 701RC2,190V.

055CCSB for the following kit: 700RC2,055MFV - 700RC2,055V
701RC2,055MFV - 701RC2,055V.



RUBBER SPIKED FOOT STAINLESS STEEL 440SPK2 190SPK2N 441SPK2 055SPK2

Reversible rubber/metal spiked feet (set of 3) supplied with a dedicated fixing tool. The spike is made of a special hard anodised aluminium alloy extremely resistant to corrosion.

440SPK2 for the following kit:
700RC2,190MFV - 701RC2,190MFV

190SPK2N for the following kit:
700RC2,190V - 701RC2,190V

441SPK2 for the following kit:
700RC2,055MFV - 701RC2,055MFV

055SPK2N for the following kit:
700RC2,055V - 701RC2,055V



SUCTION CUP/RETRACTABLE SPIKE FEET 440SCK2 190SCK2N 441SCK2 055SCK2

A rubber section cup feet (set of 3) with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed. The foot can be removed and replaced at will.

440SCK2 for the following kit:
700RC2,190MFV - 701RC2,190MFV

190SCK2N for the following kit:
700RC2,190V - 701RC2,190V

441SCK2 for the following kit:
700RC2,055MFV - 701RC2,055MFV

055SCK2N for the following kit:
700RC2,055V - 701RC2,055V



LONG SET BRACKET 393

Specifically developed for use with very long lenses or scopes on monopods or tripods. Key features: friction base enables panning with the bracket; two rubber hand grips; rubber protection to prevent damage to lens when tilted to maximum, variable (three step) centre height adjustment.



UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE 200USS

This adapter plate has been designed specifically to eliminate unwanted rotation of the spotting scope during viewing. Its universal design means it can be used to mount all makes of spotting scope, no matter what their foot shape (square, rectangular, trapezium), on the heads 700RC2 and 701RC2. The adapter is made from machine-tooled aluminum with a black anodised finish. In addition to the standard 1/4" screw, it has two grub screws to lock the spotting scope securely in position.





MONOPODS

The monopod is an important part of every photographer's support equipment. Besides the tripod, the monopod is the best way to hold a camera in situations where space is limited, the quantity and weight of the equipment carried on location needs to be kept to a minimum, or set-up speed is needed. Correctly handled, the monopod supplies all the camera support you are likely to need even for long lenses. Just look at the press and sports photographers - they would not bother with them if they did not get results!



676B



695



680B



694

DIGI MONOPOD 676



48cm



154cm



0.40kg



4.5kg

What's even more compact, even lighter, even quicker to set up than a DIGI tripod? A DIGI monopod! When you don't need the total "hands-free" support of a tripod, a monopod is a convenient shoulder to lean on. Four section, lightweight monopod with rapid action extension locks for compact spotting scopes. 1/4" fixing screw.

COMPACT MONOPOD 680B



51cm



154cm



0.83kg



10kg

Four section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60 mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.

MAGFIBER MONOPOD 5 SECTION 695



46cm



160cm



0.59kg



5kg

Five section, lightweight carbon fibre and magnesium locking collars monopod. Extremely compact with a minimum length for transportation of 46cm. And four leg extensions allowing the monopod to be rapidly extended to a maximum height of 160cm. The Monopod is equipped with rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MAGFIBER MONOPOD 4 SECTION 694



53cm



165cm



0.58kg



5kg

Four section, lightweight carbon fibre and magnesium locking collars monopod. Ideal for sporting events, allowing the photographer to shoot over the heads of everyone. The Monopod has rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MONOPODS ACCESSORIES

UNIVERSAL FOLDING BASE 678



0.42kg



14kg



This unique accessory allow to add a base made of three foldable high strength steel legs to the Monopods 679B, 680B, 681B. After using them the legs can be folded and stored inside the bottom section of the monopod ready in a few seconds when needed.

MONOPOD BELT POUCH 080

Worn on a belt, this easy to use pouch offers support for the base of a Monopod.



MONOPOD QUICK RELEASE TILT TOP 234RC



6cm



0.27kg



2.5kg



200PL-14

Simple tilt head with quick release camera platesystem and secondary safety lock.



MINI BALL HEAD WITH RC2 RAPID CONNECT SYSTEM 484RC2



9.5cm



0.32kg



4kg



200PL-14

This versatile head is fitted with a quick release 200PL camera plate system with a secondary safety catch. Head to tripod/monopod attachment is 3/8" female.



681B






679B

PROFESSIONAL MONOPOD 681B

- 
67cm
- 
161cm
- 
0.78kg
- 
12kg

Robust three section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.

MONOPOD 679B

- 
64cm
- 
162cm
- 
0.60kg
- 
10kg

Three section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60 mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.



685B



682B

NEOTEC PRO PHOTO MONOPOD 685B

- 
74.5cm
- 
170cm
- 
0.8kg
- 
8kg

The fastest monopod in the world! The 685B features the innovative Neotec rapid opening and closing mechanism – just pull the leg downwards to open and it automatically locks in any position, with no screws, knobs, or levers to tighten or loosen. Then to fold it back up again simply release the safety latch and pull the trigger and push the leg closed. A convenient rubber pedal attached to the bottom section allows you to open the monopod without having use your other hand. It's 'upside-down' leg construction also prevents water or mud from entering the monopod and a padded leg-warmer protects your hands from hot and cold weather.

SELF-STANDING PRO MONOPOD 682B

- 
74cm
- 
172cm
- 
1.1kg
- 
12kg

All the features of the professional Monopod 681 with a handy addition of three retractable legs. Dual 1/4" - 3/8" coaxial camera fixing screw.



SPIKED FOOT FOR MONOPOD 236

Converts 679B, 680B and 681B series monopods rubber foot to a spiked foot.



676SP2
695SP2
449SP2

RUBBER/SPIKED FOOT - STAINLESS STEEL

Reversible rubber/metal spiked foot supplied with a dedicated fixing tool. The spike is made of a special hard anodised aluminium alloy extremely resistant to corrosion.

676SP2: for monopods 679B and 680B.

695SP2: for monopod 695.

449SP2: for monopods 676B and 694.



676SC2
695SC2
449SC2

SUCTION CUP/RETRACTABLE SPIKE FOOT

A rubber suction cup foot with retractable stainless steel spike.

The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed.

695SC2: for monopod 695.

449SC2: for monopod 694.



SUCTION CUP/RETRACTABLE SPIKE FOOT 677SC

A rubber suction cup foot with retractable stainless steel spike.

The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed.

For monopod 681B.



Alternative supports



COLUMN CLAMP 349

This versatile clamp works with the removable centre columns of the kit. The clamp can be securely fixed to solid surfaces, bars or pipes from 10mm up to 55mm height/diameter.



BINOCULAR SUPER CLAMP 035BN

Allows your tripod/head combination to securely support binoculars.



SUPER CLAMP 035C

This universal clamp can be securely mounted on any tube from 13 to 55mm. Supplied with ratchet lever. Attachment is 5/8" hexagonal socket.



CAR WINDOW POD WITH BALL HEAD 234RC,243

Clamps to a window or narrow sill to allow you to attach a lightweight scope. The window pod is available without head: order code 243.



DOUBLE BALL TILT HEAD 155RC

 15cm
  0.6kg
  5kg
  200PL-14

Not strictly a tripod head, but an extremely versatile camera support used in conjunction with Super Clamp 035. Supplied with quick release camera plate and secondary safety lock.



MAGIC ARM WITH QUICK RELEASE PLATE 143RC

 1.09kg
  4kg
  200PL-14

Your extra arm in the studio. One lever locks three pivot points. Supplied with a quick release camera plate with secondary safety lock based on the 200PL-14 system. Ideal for mounting a camera or a camcorder exactly at the angle you need it. Fits any 5/8" female sockets, works especially well with 035 Super Clamp.



VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE 244RC

 1.11kg
  4kg
  200PL-14

Articulated arm with large locking knob. Variable friction and locking of arm obtained by adjusting the knob. Supplied with quick release camera plate with secondary safety lock based on the 200PL-14 camera plate mechanism. Ideal for mounting a photographic or video camera exactly at the angle you need it. Fits any 5/8" female socket, works especially well with 035 Super Clamp.

Straps and bags



LONG STRAP 102

The 102 strap is a basic but convenient way to carry your kit. It has a spring clip that fastens quickly to the steel ring at the shoulder of the tripod, and a closed loop that goes around the feet of the tripod and tightens to grip them securely. Features an adapter for compatibility with all Manfrotto tripods and rubberised fabric for comfort and to avoid the tripod slipping on your shoulder.



LONG STRAP GREEN 102NAT

Same as 102, but in green rubberised fabric to match our birdwatching and nature photography range.



LONG STRAP 440STRAP

Same as 102, but made with a narrower black rubberised fabric (40mm width instead of 50mm).



SHORT STRAP 402

The 402 is a simple loop strap, with a single spring clip that attaches to the quickly to the steel ring at the shoulder of your tripod. Features an adapter for compatibility with all Manfrotto tripods. Strap is in grey rubberised fabric for comfort and to avoid the tripod slipping on your shoulder.



SHORT STRAP GREEN 402NAT

Same as 402, but in green rubberised fabric to match our birdwatching and nature photography range.



SHORT STRAP 441STRAP

Same as 402, but made with a narrower black rubberised fabric (40mm width instead of 50mm).



NEW QUICK ACTION STRAP 401N

The perfect companion for walkers, cyclists, and birdwatchers on the move. Just secure to one of your tripod legs, bind the remaining legs using the adjustable quick release straps, sling the tripod over your shoulder and you're ready to go, with your hands free to grab those vital last minute items. The strap stays attached to your tripod at all times, so you're always ready to shoot, but also always ready to move.

BUCKET BACK PACK 540BB

The bucket back pack is specifically designed for birdwatchers and is more convenient than having to carry your tripod/head in your hand or on your shoulder, which makes it especially useful on longer journeys or on wilder terrain. Because you still need to know that you can release the tripod, set up and view in a few seconds, the bucket back pack is designed to hold the tripod/head with spotting scope attached. As shown above, the scope is cradled in the lower part of the back pack where its weight is better supported and less likely to swing off-balance and hurt you. The legs extend up your back and are firmly tied in position.



PADDED TRIPOD BAG 80CM MBAG80P

A padded carrying bag designed to protect your support equipment in all conditions. The Manfrotto bags feature the following:

- Asymmetric tapered shape allows you to store the tripod with the head attached.
- Quick-access padded top flap allows you to easily remove the tripod without having to unzip the entire bag, much like a quiver.
- Inner pockets hold accessories such as extra plates and lens caps
- Ballistic nylon, zippers and other materials are of the highest quality
- Can be hand-carried horizontally by the side handles, or vertically over the shoulder



UNPADDED TRIPOD BAG 70CM MBAG70

Same as MBAG80P but slightly smaller an unpadded.

Art N°	Description	Page
035BN	BINOCULAR SUPER CLAMP	13
035C	SUPER CLAMP	13
055CCSB	SHORT COLUMN	08
055SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	08
055SPK2	RUBBER SPIKED FOOT STAINLESS STEEL	08
080	MONOPOD BELT POUCH	10
102	LONG STRAP	14
102NAT	LONG STRAP GREEN	14
143RC	MAGIC ARM WITH QUICK RELEASE PLATE	13
155RC	DOUBLE BALL TILT HAEAD	13
190CCSB	SHORT COLUMN	08
190SCK2N	SUCTION CUP/RETRACTABLE SPIKE FEET	08
190SPK2N	RUBBER SPIKED FOOT STAINLESS STEEL	08
200USS	UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE	08
234RC	MONOPOD QUICK RELEASE TILT TOP	10
234RC,243	CAR WINDOW POD WITH BALL HEAD	13
236	SPIKED FOOT FOR MONOPOD	11
244RC	VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE	13
349	COLUMN CLAMP	13
393	LONG SET BRACKET	08
401N	NEW QUICK ACTION STRAP	14
402	SHORT STRAP	14
402NAT	SHORT STRAP GREEN	14
440SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	08
440SPK2	RUBBER SPIKED FOOT STAINLESS STEEL	08
440STRAP	LONG STRAP	14
441SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	08
441SPK2	RUBBER SPIKED FOOT STAINLESS STEEL	08

Art N°	Description	Page
441STRAP	SHORT STRAP	14
449SC2	SUCTION CUP/RETRACTABLE SPIKE FOOT	11
449SP2	RUBBER/SPIKED FOOT-STAINLESS STEEL	11
484RC2	MINI BALL HEAD WITH RC2 RAPID CONNECTOR SYSTEM	10
550BB	BUCKET BACK PACK	14
676	DIGI MONOPOD	10
676SC2	SUCTION CUP/RETRACTABLE SPIKE FOOT	11
676SP2	RUBBER/SPIKED FOOT-STAINLESS STEEL	11
677SC	SUCTION CUP/RETRACTABLE SPIKE FOOT	11
678	UNIVERSAL FOLDING BASE	10
679B	MONOPOD	11
680B	COMPACT MONOPOD	10
681B	PROFESSIONAL MONOPOD	11
682B	SELF-STANDING PRO MONOPOD	11
685B	NEOTEC PRO PHOTO MONOPOD	11
694	MAGFIBER MONOPOD 4 SECTION	10
695	MAGFIBER MONOPOD 5 SECTION	10
695SC2	SUCTION CUP/RETRACTABLE SPIKE FOOT	11
695SP2	RUBBER/SPIKED FOOT-STAINLESS STEEL	11
700RC2,055MFV	VIEW CARBON FIBER KIT	05
700RC2,055V	VIEW ALU KIT	05
700RC2,190MFV	VIEW CARBON FIBER KIT	04
700RC2,190V	VIEW ALU KIT	04
701RC2,055MFV	VIEW CARBON FIBER KIT	07
701RC2,055V	VIEW ALU KIT	07
701RC2,190MFV	VIEW CARBON FIBER KIT	06
701RC2,190V	VIEW ALU KIT	06
MBAG70	UNPADDED TRIPOD BAG 70CM	14
MBAG80P	PADDED TRIPOD BAG 80CM	14





Manfrotto

Lino Manfrotto + Co., S.p.A.
Via Sasso Rosso 19
I-36061 Bassano del Grappa (VI) Italia
Tel +39 0424 555 855
Fax +39 0424 808 999
www.manfrotto.com

Wildlife images by Trevor Codlin, Paul Hackett, Daniele Macale and Fabiano Ventura.

© Gruppo Manfrotto 2005

Whilst every effort has been made to ensure that the information contained within this catalogue is correct, Gruppo Manfrotto srl accepts no liability for errors or omissions. Technical specifications and data are provided for guidance only. All rights are strictly reserved. Products shown in this catalogue are protected by international patents, while this publication (in whole or in part) without written consent from Gruppo Manfrotto srl is strictly forbidden and punishable by law. Because we constantly aim to improve our products, we reserve the right to amend or alter at any time and without prior notice the specifications of any item detailed in this publication.

ISSUE CODE LNORDBW05,G ISSUE NUMBER N°1 - 05/05